INDEX

ACKROYD, H. and HOPKINS, F. G. Feeding experiments with deficiencies in the amino-acid supply: arginine and histidine as possible precursors of purines 551
Adsorptive stratification in gels (Bradford) 169
Amino-acid supply, feeding experiments with deficiencies in (Ackroyd and Hopkins) 551
Amino-acids, oxidation of, to cyanides (Dakin) 319
Amino-acids, reaction of, with nitrophenylhydrazine (Dakin) 313
Anaphylaxis, produced by diglycylglycine (Zunz and Diakonoff) 160
Anaphylaxis to separated proteins of horse-serum (Dale and Hartley) 408
Antitoxic sera, concentration of (Homer) 280
Arginine, as precursor of purines (Ackroyd and Hopkins) 551
Arginine, estimation of, by decomposition with alkali (Plimmer) 115
ASAYAMA, C. Feeding experiments with kynurenic acid 466
ATKINS, W. R. G. *see* WILSON, E. G.

Bacterial emulsions, estimation of turbidity of (Dreyer and Gardner) 399
BARGER, G. and DAKIN, H. D. Note on some experiments with gloxaline derivatives 376
Barley, germinated, presence of maltase in (Daish) 56
BLACKMAN, V. H. Obituary notice of C. G. P. Laidlaw 8
BRADFORD, C. Adsorptive stratification in gels 169
Brain, preparation of inositol from (Momose) 120
Brain, the galactosides of, phrenosin and kerasin (Rosenheim) 142
Bromine, employment of, for estimation of mixtures of carbohydrates (Wilson and Atkins) 504, 507, 516
BURNS, D. On the precursor of creatine in chick muscle 263
BURNS, D. and ORR, J. B. The influence of flesh-feeding on urinary creatinine 495
BYWATERS, H. W. Obituary notice of F. W. Pavy 1

CAHEN, E. and HURTLEY, W. H. The estimation of calcium 308
Calcium, estimation of (Cahen and Hurtley) 308
CALDWELL, W. and CLOTWORTHY, H. R. S. The fate of inorganic nitrogen in the metabolism of the dog 14
Carbohydrates, estimation of mixtures of (Wilson and Atkins) 504
CATHCART, G. D. Nitrogen distribution in the tissues and some of the factors which influence it 197
CHAPMAN, A. C. Note on the colouring matter of red torulae 548
Chickens, failure of, to grow under laboratory conditions (Drummond) 77
Chickens, observations upon the growth of, under laboratory conditions (Drummond) 77
CLOTWORTHY, H. R. S. *see* CALDWELL, W.
Colloidal solutions, viscosity and hydratation of (Hatschek) 325
Colostrum, cow's, study of proteins of (Crowther and Raistrick) 434
Colouring matter, of red torulae (Chapman) 548
Creatine, precursor of, in chick muscle (Burns) 263
Creatinine, urinary, influence of flesh-feeding on (Burns and Orr) 495
Creatinuria in children (Powis and Raper) 363
CROWTHER, C. and RAISTRICK, H. A comparative study of the proteins of the colostrum and milk of the cow, and their relations to serum proteins 434
Cyanides, oxidation of amino-acids to (Dakin) 319

DAISH, A. J. The distribution of maltase in plants. II. The presence of maltase in foliage leaves 49
DAISH, A. J. The distribution of maltase in plants. III. The presence of maltase in germinated barley 56
DAKIN, H. D. Experiments on the interaction of hydroxy- and amino-acids with nitrophenylhydrazine, with special reference to the formation of glyoxal derivatives 313
DAKIN, H. D. The oxidation of amino-acids to cyanides 319
DAKIN, H. D. *see also* BARGER, G.
DALE, H. H. and HARTLEY, P. Anaphylaxis to the separated proteins of horse-serum 408
DALE, H. H. and WALPOLE, G. S. Some experiments on factors concerned in the formation of thrombin 331
DAVIS, W. A. The distribution of maltase in plants. I. The function of maltase in starch degradation and its influence on the amyloclastic activity of plant materials 31
DIAKONOFF, Mlle, *see* ZUNZ, E.
Diet, deficient in tyrosine, feeding experiments with (Totani) 382

Diet, influence of nature of, on retention of protein (Umeda) 245
Diglycylglycine, anaphylaxis produced by (Zunz and Diakonoff) 160
DREYER, G. and GARDNER, A. D. A general method of estimating the relative turbidity or opacity of fluid suspensions, including bacterial emulsions 399
DRUMMOND, J. C. Observations upon the growth of young chickens under laboratory conditions 77
DRUMMOND, J. C. The growth of rats upon artificial diets containing lactose 89
DRUMMOND, J. C. A study of the distribution of nitrogen in the proteins of tumours and normal tissues 473

Esterases, distribution of, in the animal body (Porter) 523
EWINS, A. J. Note on the isolation of methylguanidine by the silver method 103

Feeding experiments with deficiencies in the amino-acid supply (Ackroyd and Hopkins) 551
Flesh-feeding, influence of, on urinary creatinine (Burns and Orr) 495

Galactosides of the brain; phrenosin and kerasin (Rosenheim) 142
GARDNER, A. D. *see* DREYER, G.
Gels, adsorptive stratification in (Bradford) 169
Glyoxal derivatives from hydroxy- and amino-acids in presence of nitrophenylhydrazine (Dakin) 313
Glyoxaline derivatives (Barger and Dakin) 376
Growth of rats upon artificial diets containing lactose (Drummond) 89
Growth of rats upon diets of isolated food substances (Osborne and Mendel) 534
Growth of young chickens under laboratory conditions, observations on (Drummond) 77

HALLIBURTON, W. D. Obituary notice of C. F. Myers Ward 7
HARTLEY, P. *see* DALE, H. H.
HATSCHEK, E. The viscosity and hydratation of colloidal solutions 325
HAYNES, D. *see* SCHRYVER, S. B.
Histidine, as precursor of purines (Ackroyd and Hopkins) 551
HOMER, A. On the concentration of antitoxic sera 280
HOPKINS, F. G. Obituary notice of J. Wade 5
HOPKINS, F. G. Obituary notice of A. C. H. Rothera 11
HOPKINS, F. G. *see also* ACKROYD, H.
HURTLEY, W. H. *see* CAHEN, E.
Hydratation of colloidal solutions (Hatschek) 325
Hydrogen ion concentration, optimal for pepsin (Okada) 126
Hydrogen ion concentration, optimal for the proteoclastic action of taka-diastase (Okada) 130
Hydroxy-acids, reaction of with nitrophenylhydrazine (Dakin) 313
Hypochlorites, action of, on proteins (Milroy) 453
Hypochlorites, behaviour of, on injection (Milroy) 453

Inositol, of brain, preparation of (Momose) 120

Kendall's solution, estimation of reducing sugars by (Wilson and Atkins) 137
Kynurenic acid, feeding experiments with (Asayama) 466

Lactic acid, decomposition of, by killed yeast (Palladin and Sabinin) 183
Lactose, growth of rats upon artificial diets containing (Drummond) 89
Laidlaw, C. G. P., obituary notice of (Blackman) 8
Leaves, foliage, presence of maltase in (Daish) 49
Lipase, pancreatic, stability of (de Souza) 188

Maltase, distribution of, in plants (Davis) 31 (Daish) 49, 56
Maltase, function of, in starch degradation (Davis) 31
Maltase, influence of, on amyloclastic activity of plant materials (Davis) 31
Maltase, presence of, in foliage leaves (Daish) 49
Maltase, presence of, in germinated barley (Daish) 56
Martin, C., obituary notice of (Russell) 9
MENDEL, L. B. *see* OSBORNE, T. B.
Metabolism of dog, fate of inorganic nitrogen in (Caldwell and Clotworthy) 14
Methylguanidine, note on the isolation of, by the silver method (Ewins) 103
Milk, cow's, study of proteins of (Crowther and Raistrick) 434
MILROY, T. H. The action of hypochlorites and allied substances on proteins, and their behaviour on injection 453
MOMOSE, G. On the inositol of brain and its preparation 120
Muscle of chick, precursor of creatine in (Burns) 263
Myers Ward, C. F., obituary notice of (Halliburton) 7

Nitrogen, distribution of, in the tissues (Cathcart) 197
Nitrogen, inorganic, fate of, in metabolism of dog (Caldwell and Clotworthy) 14
Nitrophenylhydrazine, reaction of, with hydroxy- and amino-acids (Dakin) 313

Obituary notice of C. G. P. Laidlaw (Blackman) 9
Obituary notice of C. Martin (Russell) 9
Obituary notice of C. F. Myers Ward (Halliburton) 7
Obituary notice of F. W. Pavy (Bywaters) 1
Obituary notice of A. C. H. Rothera (Hopkins) 11
Obituary notice of J. Wade (Hopkins) 5
OKADA, S. On the optimal reaction for pepsin 126

Okada, S. On the optimal conditions for the proteoclastic action of taka-diastase 130
Onslow, H. On the development of the black markings on the wings of *Pieris Brassicae* 26
Opacity of suspensions, estimation of (Dreyer and Gardner) 399
Orr, J. B. *see* Burns, D.
Osborne, T. B. and Mendel, L. B. The growth of rats upon diets of isolated food substances 534
"Oxycholesterol," new colour reaction for (Rosenheim) 176

Palladin, W. and Sabinin, D. The decomposition of lactic acid by killed yeast 183
Pavy, F. W., obituary notice of (Bywaters) 1
Pectic substances of plants (Schryver and Haynes) 539
Pepsin, optimal reaction for (Okada) 126
Plants, pectic substances of (Schryver and Haynes) 539
Plimmer, R. H. A. The analysis of proteins. I. The estimation of arginine by decomposition with alkali 115
Porter, A. E. The distribution of esterases in the animal body 523
Powis, F. and Raper, H. S. Creatinuria in children 363
Protein, influence of diet on retention of (Umeda) 245
Proteins, analysis of (Plimmer) 115
Proteins, of horse-serum, anaphylaxis to (Dale and Hartley) 408
Proteins, of tumours and normal tissues, distribution of nitrogen in (Drummond) 473
Proteoclastic action of taka-diastase, optimal conditions for (Okada) 130
Purines, derived from arginine and histidine in metabolism (Ackroyd and Hopkins) 551

Raistrick, H. *see* Crowther, C.
Raper, H. S. *see* Powis, F.
Rats, growth of, upon artificial diets containing lactose (Drummond) 89
Rats, growth of, upon diets of isolated food substances (Osborne and Mendel) 534
Rosenheim, M. C. A new colour reaction for "oxycholesterol" 176
Rosenheim, O. The galactosides of the brain. IV. The constitution of phrenosin and kerasin 142
Rothera, A. C. H., obituary notice of (Hopkins) 11
Russell, E. J. Obituary notice of C. Martin 9

Sabinin, D. *see* Palladin, W.
Schryver, S. B. and Haynes, D. The pectic substances of plants 539
Sera, antitoxic, concentration of (Homer) 280
Serum, horse, anaphylaxis to separated proteins of (Dale and Hartley) 408
Souza, D. H. de. The stability of pancreatic lipase 108
Starch degradation, influence of maltase on (Davis) 31
Stratification, adsorptive, in gels (Bradford) 169
Sugars, reducing, estimation of, by Kendall's solution (Wilson and Atkins) 137
Suspensions, estimation of turbidity of (Dreyer and Gardner) 399

Taka-diastase, optimal conditions for the proteoclastic action of (Okada) 130
Thrombin, factors concerned in formation of (Dale and Walpole) 331
Tissues, distribution of nitrogen in the (Cathcart) 197
Tissues, distribution of nitrogen in the proteins of normal (Drummond) 473
Torulae, red, colouring matter of (Chapman) 548
Totani, G. Feeding experiments with a dietary in which tyrosine is reduced to a minimum 382
Tumours, distribution of nitrogen in the proteins of (Drummond) 473
Turbidity of suspensions, estimation of (Dreyer and Gardner) 399
Tyrosine, feeding experiments with a diet deficient in (Totani) 382

Ultrafiltration apparatus, "plate" forms of (Walpole) 254
Umeda, N. The influence of the nature of the diet on the retention of protein 245

Viscosity of colloidal solutions (Hatschek) 325

Wade, J., obituary notice of (Hopkins) 5
Walpole, G. S. "Plate" forms of ultrafiltration apparatus 254
Walpole, G. S. *see* also Dale, H. H.
Wilson, E. G. and Atkins, W. R. G. The estimation of reducing sugars by Kendall's solution and the construction of a table indicating the reducing power of laevulose 137
Wilson, E. G. and Atkins, W. R. G. Methods for the estimation of mixtures of four or more carbohydrates, involving oxidation with bromine 504
Wing markings of *P. Brassicae*, development of (Onslow) 26

Yeast, killed, decomposition of lactic acid by (Palladin and Sabinin) 183

Zunz, E. and Mlle Diakonoff. Recherches sur l'anaphylaxie par la diglycylglycine 160